

Go Check SPECIFICATIONS

Dessin no. 2450

Fields of application contract

Material 100% Trevira cs

Weight g/lm 435
oz/lin.yd 14.03

Width cm 140
inches 55

Abrasion resistance rubs martindale (EN ISO 12947-2) 80,000

double rubs wyzenbeek (ASTM D4157-07) (heavy duty upholstery) 60,000

Pilling scale 1-5, max. 5 - EN ISO 12945-2 5

Colour fastness to light scale 1-8, max. 8 - EN ISO 105-B02 5-8

Colour fastness to rubbing scale 1-5, max. 5 - EN ISO 105x12 (wet/dry) 4-5/4-5

Maintenance wash or dry cleaning P(W).

Go Check is made of Trevira CS which is a polyester material suited for environments with special requirements for cleaning.

can be wiped with Virkon S, Actichlor Plus, Prime Source ren-93 or Ethanol (70-85%).

always follow the manufacturer's instructions and finish by wiping with a damp cloth..

[click here for guidance relating to disinfection.](#)



40°C shrinkage max. 1,5%.



60°C shrinkage max. 2,5%.



74°C shrinkage max. 3,5%.

US ACT

- ✈ CA TB 117-2013 pass
- ✈ ASTM D4157-07 Wyz abrasion (heavy duty) pass
- ✈ ASTM D3511 Pilling pass
- ✈ AATCC 16 Light fastness pass
- ✈ AATCC 8 or 116 Wet/dry crocking pass

Flammability

- BS EN 1021 1&2 Cigarette and Match
- BS EN 1021-1 Cigarette
- BS 5852 Part 1 0,1 Cigarette & match
- BS 5852 Crib 5
- BS 7176 Medium hazard
- DIN 4102 B1
- NFP 92-503/504/505 M1
- ÖNORM B 3825-B1-3800-Q1 UK
- Class Uno UNI 9175 Class 1 I EMME
- FAR/JAR 25.853 (a) (i) (ii)
- CA TB 117-2013
- DIN EN 13501-1 B-s1,d0
- Will also pass other flammability standards. Flame retardant performance is dependent upon the foam used.

Environment

Oeko-Tex
EU Ecolabel
Cradle to Cradle Bronze
100% free of heavy metals

Design

Inger Mosholt Nielsen

Colours

Inger Mosholt Nielsen